


REVISIONS				
부호	날짜	내용	수정자	승인자
-	2024.00.00	-	-	J.W HEO

NOTE

1) This drawing is an assembly drawing of RB20-1900ES.

PART NAME		RB20-1900ES(U-Version)		
DRAWING NO.		-		Rev
-		-		
THIS DRAWING MAY NOT BE REPRODUCED WITHOUT PRIOR WRITTEN APPROVAL.	SCALE	1:1	MATERIAL	-
	SIZE	A2	REFERENCE	-
TOLERANCE UNLESS OTHERWISE SPECIFIED: XXX: ±0.2 XX: ±0.1 X: ±0.1 XX: ±0.05 ANGLE: ±0.5°	DRN. BY	T.K AHN	2024.08.13	
	CHK'D. BY	-	-	
	APPR'D BY	W.Y OH	2024.08.13	
	Page	1 of 1		
단위: MM		COPYRIGHT (C) RAINBOW ROBOTICS CORP. ALL RIGHTS RESERVED.		



REVISIONS				
부호	날짜	내용	수정자	승인자
-	2024.00.00	-	-	J.W HEO

I/O Connector B



1) I/O Connector	- M8 female panel mount connector, 8pin - Spec : 76 6618 1111 00008-0200 - Maker : Binder
2) Cable	- M8 male cable connector, 8pin - Spec : 77 3405 0000 50008-0200 - Maker : Binder
3) CAP	- M8 Protecting cap - Spec : 08 2441 000 000 - Maker : Binder

I/O Connector A

1) I/O Connector	- M8 male panel mount connector, 8pin - Spec : 76 6319 1111 00008-0200 - Maker : Binder
2) Cable	- M8 female cable connector - Spec : 77 3406 0000 50008-0200 - Maker : Binder
3) CAP	- M8 knurling cap - Maker : Rainbow-Robotics

NOTE

1)	This drawing is a "Tool flange set-up" drawing.
2)	Mechanical interfaces : ISO 9409-1-80-6-M8

	PART NAME Tool flange set up_RB20-1900ES(U-Version)			
	DRAWING NO. -			Rev -
	SCALE 1:1	MATERIAL -	DRN. BY T.K AHN	2024.08.13
			CHK'D. BY -	-
TOLERANCE UNLESS OTHERWISE SPECIFIED: XXX: ±0.2 XX: ±0.1 X: ±0.1 XX: ±0.05 ANGLE: ±0.5°	SIZE A2	REFERENCE -	APPR'D BY W.Y OH	2024.08.13
			Page 1 of 1	
			단위 : MM	